



KEY NOTES

1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. OBSERVATION WINDOW WITH VIEW OF POST IMMUNIZATION WAITING AND INTEGRAL BLINDS. WIDTH MAY VARY.
3. R6070, REFRIGERATOR/FREEZER, SHALL BE CONNECTED TO AN ALARM SYSTEM IF ONE IS PROVIDED IN THE FACILITY. PROVIDE EMERGENCY POWER FOR HOSPITALS ONLY.
4. PROVIDE M1620, PATIENT CHART HOLDER, FOR ARMY AND NAVY PROJECTS ONLY. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.

OUTPATIENT IMMUNIZATION ROOM (OPIR1)

ALLERGY/IMMUNIZATION

FLOOR/EQUIPMENT PLAN

20.07 NSM (216 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)